

NDL decorative lighting

DECORATIVE & COMMERCIAL LIGHTING

NDL decorative lighting

NELUX

NDL HOTEL DECORATIVE LIGHTING | 2025

2025

Nelux Architectural Lighting Products
Whatsapp: +852 5349 0724
sales@nelux.com.hk
www.nelux.com.hk

Head office: China, HK, Wanchai,
Central Plaza, 18 Harbour road, 32/F, Office 3208
Workhouse: China, HK, Tuen Mun, Sun Hing Industrial Building, 22
Kin Fat Street, 11th Floor

Tel:+852 28600042
Fax:+852 28600066
WeChat: neluxury

ABOUT

15 years ago a group of us bonded together with the bright idea to bring unique design and top quality led lighting system to market. All for architectural and commercial lighting products reflect the core of modularity, convenience and affordability. Nelux a tech-style luminaire firm that focuses on innovation. These innovation based on our deep cooperation with lighting designers, we know what you need, we know how to bring a better lighting in your space.

INNOVATIVE TECHNOLOGY:

With years deep communication with designers,
We continuously strive to bring the latest lighting components and
technological innovations to LED lighting products

COMPREHENSIVE DATASHEET SUPPORT:

**In Nelux, we always think about how to help our customers finish
their work, see what we can do for you,
Lighting design, IES Files, High resolution photos,
You just sent us DWG file,
we will work for you with a experience team**

CUSTOMIZATION:


**With a wide variety of marketing content from catalogue choose, if
customers still need a special or unique design for lighting,
our global sales team will work with you to user in a customization
lighting solution for your customers.**

**Do you need Bespoke Lighting? /
¿Necesita productos a medida?**

**NELUX CUSTOMISING
NELUX PRODUCTOS A
MEDIDA**

**MODERN DESIGN
REDECORATE YOUR
SPACE**

















Pendant lamp | AC 220-240VAC 50/60HZ | IP20 | 3000K

PL0877-300B

Φ35*345H*H1800mm
6W



PL0877-600B

Φ35*645H*H1800mm
6W



PL0877-900B

Φ35*945H*H1800mm
6W



PL0877-3B

Φ360**H1600mm
16W



PL0877-5B

L1240*W140H*H1500mm
20W



Coffee+Black

Black

White


Coffee+Gold

Coffee

Gold



















A smart lighting design
brand at the forefront of fashion





Pendant lamp | AC 220-240VAC 50/60HZ | IP20 | 3000K

PL0686-300B

Φ40*300*H1350
4W



PL0686-450B

Φ40*450*H1500
4W



PL0687-650B

Φ38*650*H1700
12W



PL0687-1200B

Φ38*1235*H2235
22W



PL0687-650A

Φ38*650*H1500
12W



PL0687-1200A

Φ38*1235*H1500
22W



PL0686-1000A

Φ40*1078*H1500
30W



Milky




Matte Black



Frosted Silver







Wall lamp | AC 220-240VAC 50/60HZ | IP20 | 3000K

WL0686-A

207*80*40


6W



●
Matte Black

●
S-gold







11 21 9



Floor lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Rosegold /Nickel/ Chrome | Aluminium

FLO500S
18W




FLO500M
18W



FLO500L
18W



● Rose gold ● nickel ● Chrome





• Rotating lamp holder

• Twisting joint structure

• Micro Switch Button







Table lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Red/Black/ Silver gray | Aluminium



TL0499A
5W




TL0499B
5W



TLA0499C
6W



● Red ● Black ● Silver gray








The Smoky Gray Handmade Glass Makes The Light Softer And More Delicate, And The Individual Combination Also Brings More Possibilities To The Space.



Pendant lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Smoky Gray | Glass+Aluminium



● Smoky Gray






NDL



NDL

Pendant lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | SmokyGray | Glass+Aluminium



● Smoky Gray






• Micro Switch Button

NDL


Table lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Cognac / Smoky Gray | Aluminium


TL0046-300A
12W



● Cognac ● Smoky gray









Floor lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Rose gold /Nickel/ Pearl black | Aluminium


FL0367-1A
5W




FL0367-3A
15W



TL0367-1A
5W



● Rose gold ● nickel ● Pearl black






NDL



Table lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Brass/Coffee | Aluminium

TL0509-270A
18W

TL0509-350A
25W



● Brass ● Coffee






NDL



Pendant Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED



Black+ Gold






Pendant Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | OSRAM LED | Pure Aluminum


PL0075-3A
24w




PL0075-6A
36w




PL0075-9A
48w




PL0075-8C
40w




PL0075-12A
60w




PL0075-12B
60w




PL0075-30A
180w



PL0075-12C
53w





● Black ● Gold






Enlightenment
From Nature, Light,
Penetration.






Phyminator





Wall Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | CREE LED | Pure Aluminum


WLA0350S
4w



WLA0350
4w




WLA0350B
7w



● Black







Pendant Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED | Pure Aluminum


PL0334-1B
11w



PL0334-3B
36w



PL0334-5B
51w




● Coffee







Decorative






NDL




Pendant Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED



● Black








AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED | Resin Table

Lamp

TL0235-260A
6w



Wall Lamp

WLA0235-260A
6w




Floor Lamp

FL0235-260A
6w



○ White








Pendant Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | OSRAM LED | Pure Aluminum


PLO214-6A
29w




PLO214-10A
50w




PLO214-12A
63w



PLO214-18A
101w



● Black



Pendant Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | OSRAM LED | Pure Aluminum


PL0214-6B
29w




PL0214-10B
50w



PL0214-12B
63w



PL0214-18B
101w



● Gold






PL0628-12A


Description: Pendant Lamp
Material: Pure Aluminium
Watts: 12*5w
Led Input: AC 90-260VAC 50/60HZ
IP: 20
Colour Temperature: 3200k
Colour: Coffee
Product size(mm): Φ 800*1500H

PL0628-8A

Description: Pendant Lamp
Material: Pure Aluminium
Watts: 8*5w
Led Input: AC 90-260VAC 50/60HZ
IP: 20
Colour Temperature: 3200k
Colour: Coffee
Product size(mm): 1200*60*1200H







PL0628-I 2A

Description: pendant Lamp
Material: pure Aluminium
Watts: 12*5w
Led Input: ac 90-260vac 50/60hz Ip20
Colour temperature: 3200K
Colour: coffee








PL0628-7A

Description: Pendant Lamp
Material: Pure Aluminium
Watts: 32w
Led Input: AC 90-260VAC 50/60Hz
IP: 20
Colour Temperature: 3000k
Colour: Coffee
Product size(mm): $\Phi 550 \times 1200H$








PL0628-1A

Description: Pendant Lamp
 Material: Pure Aluminium
 Watts: 5w
 Led Input: AC 90-260VAC 50/60Hz
 IP: 20
 Colour Temperature: 3000k
 Colour: Coffee
 Product size(mm): $\Phi 55 \times 1200H$



PL0628-24A

Description: Pendant Lamp
 Material: Pure Aluminium
 Watts: 100w
 Led Input: AC 90-260VAC 50/60Hz
 IP: 20
 Colour Temperature: 3000k
 Colour: Coffee
 Product size(mm): $\Phi 700 \times 1850H$



PL0628-36A

Description: Pendant Lamp
 Material: Pure Aluminium
 Watts: 125w
 Led Input: AC 90-260VAC 50/60Hz
 IP: 20
 Colour Temperature: 3000k
 Colour: Coffee
 Product size(mm): $\Phi 1000 \times 2300H$





NDL



CL9-7508

Description: ceiling lamp
 Material: pure Aluminium
 watts: 50w
 LED Input: AC 90-260VAC 50/60HZ Ip20
 Colour Temperature:3200k
 Colour:coffee
 Product size(mm): Φ=750



CL9-6008

Description: ceiling lamp
 Material: pure Aluminium
 watts: 40w
 LED Input: AC 90-260VAC 50/60HZ Ip20
 Colour Temperature:3200k
 Colour:coffee
 Product size(mm): Φ590X200H

CL9-4008

Description: ceiling lamp
 Material: pure Aluminium
 watts:24w
 LED Input: AC 90-260VAC 50/60HZ Ip20
 Colour Temperature:3200k
 Colour:coffee
 Product size(mm):Φ405X135H



PL019-750B

Description: Pendant Lamp
Material: Pure Aluminium
Watts: 50w
Led Input: Ac 90-260vac 50/60hz Ip20
Colour: Coffee
Product Size(mm): Φ750*295h




PL019-600B


Description: Pendant Lamp
Material: Pure Aluminium
Watts: 40w
Led Input: Ac 90-260vac 50/60hz Ip20
Colour: Coffee
Product Size(mm): Φ600x270h

PL019-400B

Description: Pendant Lamp
Material: Pure Aluminium
Watts: 24w
Led Input: Ac 90-260vac 50/60hz Ip20
Colour: Coffee
Product Size(mm): Φ405x235h

Ceiling Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED | 

CL0679-600A D600
56W




● black ● White






NDL





Pendant Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED | Pure Aluminum

PL0679-600A
56W



D600

PL0679-800A
84W



D800









Pendant Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED | 

PL0734-10A
10x5W
D800



PL734-14A
14x5W
D1060

PL0734-6B L1200
6x5W



PL0734-8B L1800
8x5W



● black ○ White











Pendant Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED | Pure Aluminum


PL06766B
40W




PL067678
40W



PL0676-24A
120W



PL0676-36A
165W



● Black ● Gold





Pendant Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED | Pure Aluminum

P0677-680A
80W




P0677-2L
176W




P0677-3L
240W




P0677-12A
48W




● Black
















Pendent Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED | Pure Aluminum


PL0675-5B
15W




PL0675-7B
40W



PL0675-24A
120W



PL0675-36A
180W









Floor Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED |

FLO675A 300*H1500
25w

FLO675A 220*H450
10w





● s-gold ● pearl black




Ceiling Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED | [View product](#)

PL0675-5D L900*170*H950
25w


PL0675-7D L1200*170*H950
40w



PL0675-7C 780*H850
40w



● s-gold ● pearl black






Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED | Pure Aluminium


WLA0046-1B
50W




WLA0046-1A
20W




PL0046-600B
35W




PL0046-600A
30W




PL0046-1200A
66W




PL0046-600C
30W



FLO046-1A
15W




FLO046-1A
35W



● Black













SHAW ROED











Pendant Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | EpistarLED | Pure Aluminium


WLA0358-400A
5W




WLA0358-630A
12W




WLA0358-1000A
20W




CL0358-2A
25W



PL0358-1200A
25W



PL0358-1700A
37W



○ White



Floor Lamp & wall lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED | Pure Aluminium

WLA0368-1200A without driver
14W



WLA0368-1800A without driver
22W



WLA0368-2400A without driver
29W




FL0368-1600A
19W



FL0368-2000A
24W





FL0368-2A
19W+24W



● Black









Ceiling Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED |

PL0721-1A $\Phi 60 \times 125\text{MM}$
7W



PL0721-5A $\Phi 60 \times 125\text{MM}$
25W



● Pearl black+S-gold Cover ● S-Gold+Pearl black Cover





Ceiling Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED |

PL706-1A
10W

Ø100*H120*H1500mm
BaseØ100*H40



● brass





Ceiling Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED | [Product](#)

PL706-3B
30W

D160*H1000*H1500mm
Baseφ160*H50

PL706-1A
10W


D100*H120*H1500mm
Baseφ100*H40



● brass







Ceiling Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED |

PL0718-1A D180*H150CM
10W



PL0718-13B Ø600*H250CM
130W




PL0718-3A D700*H150CM
120W



● Rose gold









Ceiling Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED |

WLA0719-1A D100*H200
12W




PL0719-1A Φ100*H150CM
10W



PL719-3B Φ160*H150
30W



PL719-13B Φ600*H250CM
130W



PL719-3A D700*H150CM
30W




● Rose gold











Ceiling Lamp | AC 90-260VAC 50/60HZ | IP20 | 3000K | Epistar LED | 


PL738-6A $\Phi 65 \times H 25 \times H 120 \text{cm}$
6x10W




$\Phi 92 \times H 21 \times H 130 \text{cm}$ $\Phi 93 \times H 37 \times H 120 \text{cm}$
8x10W



PL738-12A $\Phi 92 \times H 42 \times H 130 \text{cm}$
12x10W



PL0738-16A $\Phi 92 \times H 66 \times H 130 \text{cm}$
16x10W



 gold + pearl black



DECORATIVE LIGHTING | HOTELS-RETAIL SHOPS...

THANK YOU

Nelux Architectural Lighting Products
Whatsapp: +852 5349 0724
sales@nelux.com.hk
www.nelux.com.hk

Head office: China, HK, Wanchai,
Central Plaza, 18 Harbour road, 32/F, Office 3208
Workhouse: China, HK, Tuen Mun, Sun Hing Industrial Building, 22 Kin Fat Street, 11th
Floor

Tel:+852 28600042
Fax:+852 28600066
WeChat: neluxury