## NELUX ARCHITECTURAL LIGHTING PRODUCTS

## MINI SPOT LIGHTS 2025

**SHEKO SERIES** 

#### NELUX (HK) INTERNATIONAL, LTD

Head office: 18, harbour road, central plaza, 32/F, office 3208, wanchai, hong kong, china

website: www.nelux.com.hk email: sales@nelux.com.hk

wechat: neluxury tel: +852 28600042 fax: \*852 28600066

#### **About Us**

**Nelux: Professional Lighting Solutions** 

At Nelux, we have been lighting up ideas and projects around the world for over 30 years. Since establishing our headquarters in Hong Kong in 2010, we have become a trusted partner in the design and supply of technical and decorative lighting solutions for hotels, restaurants, franchises, retail stores, museums, and other commercial spaces.

Our philosophy blends innovation, design, and functionality to deliver high-performance products that not only meet but exceed the expectations of our clients. We focus on two key areas:

A premium range of interior lighting with a 5-year warranty, perfect for projects requiring durability and aesthetic excellence.

A bespoke production service that allows for the creation of unique pieces tailored to the specific needs of each client and project.

Our global market expertise, combined with an unwavering commitment to quality and competitive pricing, positions us as a leader in lighting solutions for large-scale projects. This catalog is a testament to our dedication and passion for illuminating every space with creativity and precision.













### Index

#### Mini Spotlight series





#### Spotlight series

P.12



04






















NL4230/4230B Adjustable / Trim

Model:NL4230/NL4230B

Power: 2W

Cut-out size: Ø35mm

Beam angle:15°/20°/25°/38°/60°/20x40°



























# Micro Spotlight Adjustable

Power: SW Cut-out size: Ø40mm Beam angle:15°/24°/36° Recessed Downlight sales@nelux.com.hk








Model:NL4233/NL4234/N4235

Power: 4W/10W/1 SW


Cut-out size: Ø35mm/Ø45mm/<1>55mm

Beam angle:15°/24°/36°/50°



14

Recessed Downlight sales@nelux.com.hk



 $\mid 17$ 

16

Recessed Downlight sales@nelux.com.hk






Model:NL4236/NL4237/NL4238 Power: 6W/10W/1 SW

Cut-out size: Ø45mm/Ø55mm/Ø65mm

Beam angle:15°/24°/36°/50°

























Model:NL4243/NL4244/NL4245

Power: 4W/10W/15W

Cut-out size: Ø35mm/Ø45mm/<1>55mm

Beam angle:24°/36°

## www.nelux.com.hk

sales@nelux.com.hk salesnelux@gmail.com

neluxclients@gmail.com