

**Retail Prices- REQUEST for NET PRICES - MAGNETIC SYSTEM K05 (5mm)**

























**Nelux (HK) International Ltd**

Head office: China, HK, Wanchai, Central Plaza,  
18 Harbour road, 32/F, Office 3208  
T +852 28600042  
T/Whatsapp: +852 5349 0724  
Skype: neluxlighting /WeChat: neluxury

Nelux Architectural Lighting Products

**nelux**  
Producing your dreams  
[www.nelux.com.hk](http://www.nelux.com.hk)

Date: 2024/06/27

Picture	MODEL NO.	Specification	Beam angle	Unit price(USD)	Unit price(USD) PWM DIM (adaptive triac 0-10V dimmer 24V DRIVER- Zigbee)	quantity (PCS)	Amount (RMB)	Size(mm)	Cut out(m m)	light body Colour	Front cover	CRI	Colour temperature	LED brand	Driver	Input	Material
	KST-1M	Surface MG-Track DC24V	/	\$19.44				11 x 15 x L1000mm		Black	/	/	/	/	/	DC24V	Dis-casting aluminum+pl astic
	KST-2M	Surface MG-Track DC24V	/	\$38.83				11 x 15L2000mm		Black	/	/	/	/	/	DC24V	Dis-casting aluminum+pl astic
	KRT-1M	MG-Track Trimless DC24V	/	\$21.74				50 x 15mm *1000mm		Black	/	/	/	/	/	DC24V	Dis-casting aluminum+pl astic
	KRT-2M	MG-Track Trimless DC24V	/	\$43.49				50 x 15* L2000mm		Black	/	/	/	/	/	DC24V	Dis-casting aluminum+pl astic
	KDT-1M	MG-Track Trimless Recessed DC24V	/	\$21.74				50 x 15 *L1000mm		Black	/	/	/	/	/	DC24V	Dis-casting aluminum+pl astic
	KDT-2M	MG-Track Trimless Recessed DC24V	/	\$43.49				50 x 15L2000mm		Black	/	/	/	/	/	DC24V	Dis-casting aluminum+pl astic
	K05HT-1M	W05 Electrify the upper and lower lifting tracks 1M	/	\$46.56				32 12 1000*12 x 32 mm		Black	/	/	/	/	/	DC24V	aluminum
	K05HT-2M	W05 Electrify the upper and lower lifting tracks 2M	/	\$93.22				32 12 2000*12 x 32 mm		Black	/	/	/	/	/	DC24V	aluminum
	K05HT-P01	Suspension line group	/	\$10.08													
	KRT-C01	connection accessory	/	\$1.25													
	K05HT-END	closer ends (a pair)	/	\$3.12													
	KSA0425DR	W05 Vertical swinging 130 degree angle DC24V 3W	15° 24° 36°	\$38.83				 Φ25x48	/	Black	Black	>90	2700K 3000K 4000K 5000K	OSRAM	/	DC24V	aluminum
	KSA0435DR	W05 Vertical swinging 130 degree angle DC24V 5W	15° 24° 36°	\$45.02				 Φ35x58	/	Black	Black	>90	2700K 3000K 4000K 5000K	OSRAM	/	DC24V	aluminum
	KSA0445DR	W05 Vertical swinging 130 degree angle DC24V 9W	15° 24° 36°	\$48.91				 Φ45x63	/	Black	Black	>90	2700K 3000K 4000K 5000K	OSRAM	/	DC24V	aluminum
	KST-R300Q	Surface Arc track DC24V	/	\$32.64						Black	/	/	/	/	/	DC24V	Dis-casting aluminum
	KST-R600Q	Surface Arc track DC24V	/	\$37.30				 600 Rounded corners		Black	/	/	/	/	/	DC24V	Dis-casting aluminum
	KST-R900Q	Surface Arc track DC24V	/	\$50.50				 900 Rounded corners		Black	/	/	/	/	/	DC24V	Dis-casting aluminum
	KST-R1200Q	Surface Arc track DC24V	/	\$66.00				 1200 Rounded corners		Black	/	/	/	/	/	DC24V	Dis-casting aluminum
	KDT-R600Q	Surface Arc track DC24V	/	\$37.30				 600 Rounded corners		Black	/	/	/	/	/	DC24V	Dis-casting aluminum



**Retail Prices- REQUEST for NET PRICES - MAGNETIC SYSTEM K05 (5mm)**

**Nelux (HK) International Ltd**

Head office: China, HK, Wanchai, Central Plaza,  
18 Harbour road, 32/F, Office 3208  
T +852 28600042  
T/Whatsapp: +852 5349 0724  
Skype: neluxlighting /WeChat: neluxury

Nelux Architectural Lighting Products

**nelux**  
Producing your dreams  
[www.nelux.com.hk](http://www.nelux.com.hk)

Date: 2024/06/27

Picture	MODEL NO.	Specification	Beam angle	Unit price(USD)	Unit price(USD) PWM DIM (adaptive triac 0-10V dimmer 24V DRIVER- Zigbee)	quantity (PCS)	Amount (RMB)	Size(mm)	Cut out(m m)	light body Colour	Front cover	CRI	Colour temperature	LED brand	Driver	Input	Material
	KOT-B01	Magnetic Track Wall mounted Fixture DC24V	/	\$6.24						black	/	/	/	/	/	DC24V	Die-casting aluminum
	WOT-B02	Round Magnetic Track base DC24V	/	\$6.96						black	/	/	/	/	/	DC24V	Die-casting aluminum
	KOT-B03	Magnetic Track Wall mounted Fixture DC24V	/	\$6.24						black	/	/	/	/	/	DC24V	Die-casting aluminum
	KOT-R800Q	Surface Arc track DC24V	/	\$41.14						Black	/	/	/	/	/	DC24V	Die-casting aluminum
	KOT-R900Q	Surface Arc track DC24V	/	\$56.69						Black	/	/	/	/	/	DC24V	Die-casting aluminum
	KOT-R1200Q	Surface Arc track DC24V	/	\$73.78						Black	/	/	/	/	/	DC24V	Die-casting aluminum
	DC48a-2402000CN	欧规电源适配器 DC 24V 48W 无认证! 线长1米	/	\$15.50													
	HLV2430TA	欧规电源适配器 DC 24V 30W tuv认证 线长10CM	/	\$23.28				83.5*47*31									
	HLV2440TA	欧规电源适配器 DC 24V 40W tuv认证 线长10CM	/	\$29.52				95*50*34									
	HLV2448TA	欧规电源适配器 DC 24V 48W tuv认证 线长10CM	/	\$32.64				95*50*34									
	KOT-E01	圆型磁吸轨道输入线 配电源适配器用 线长1米	/	\$8.11													
	KW80501B	Magnetic glass ball 3W IP20	360°	\$30.29	\$30.29					white	/	>90	2700K 3000K 4000K 5000K	SANAN	/	DC24V	Die-casting aluminum
	KY80501NS	LED 8W Silicone lamp strip DC24V	100°	\$46.56	\$46.56			one meter ( There are positive and negative poles ) Size:5x10x1000 mm			/	>90	2700K 3000K 4000K 5000K	SANAN	/	DC24V	
	KY80502NS	LED 16W Silicone lamp strip DC24V	100°	\$80.74	\$80.74			two meter ( There are positive and negative poles ) Size:5x10x2000 mm			/	>90	2700K 3000K 4000K 5000K	SANAN	/	DC24V	
	KSA0525DR	Magnetic spot light 3W DC24V	15°/24°/36°	\$30.29						Black	Black	>90	2700K 3000K 4000K	OSRAM	/	DC24V	Die-casting aluminum
	KSA0525DR	Magnetic spot light 3W DC24V	15°/24°/36°	\$31.82						brass	black	>90	2700K 3000K 4000K	OSRAM	/	DC24V	Die-casting aluminum
	KSA0535DR	Magnetic spot light 5W DC24V	15°/24°/36°	\$34.94						Black	Black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Die-casting aluminum
	KSA0535DR	Magnetic spot light 5W DC24V	15°/24°/36°	\$36.48						brass	black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Die-casting aluminum
	KSA0535DR-P	Magnetic spot light 5W DC24V	15°/24°/36°	\$56.69						Black	Black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Die-casting aluminum

**Retail Prices- REQUEST for NET PRICES - MAGNETIC SYSTEM K05 (5mm)**

**Nelux (HK) International Ltd**

Head office: China, HK, Wanchai, Central Plaza,  
18 Harbour road, 32/F, Office 3208  
T +852 28600042  
T/Whatsapp: +852 5349 0724  
Skype: neluxlighting /WeChat: neluxury

Nelux Architectural Lighting Products

**nelux**  
Producing your dreams  
[www.nelux.com.hk](http://www.nelux.com.hk)

Date: 2024/06/27

Picture	MODEL NO.	Specification	Beam angle	Unit price(USD)	Unit price(USD) PWM DIM (adaptive triac 0-10V dimmer 24V DRIVER- Zigbee)	quantity (PCS)	Amount (RMB)	Size(mm)	Cut out(m m)	light body Colour	Front cover	CRI	Colour temperature	LED brand	Driver	Input	Material
	KSA053DR-P	Magnetic spot light 5W DC24V	15°/24°/36°		\$57.07			Φ35x83 mm		brass	black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KSA054DR	Magnetic spot light 9W DC24V	15°/24°/36°	\$37.30				 Φ45x58 mm		Black	Black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KSA054DR	Magnetic spot light 9W DC24V	15°/24°/36°	\$39.60				 Φ45x58 mm		brass	black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KSA054DR-P	Magnetic spot light 9W DC24V	15°/24°/36°		\$59.04			 Φ45x58 mm		Black	Black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KSA054DR-P	Magnetic spot light 9W DC24V	15°/24°/36°		\$61.34			 Φ45x58 mm		brass	black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KA0560NR-A	Magnetic spot light 5W DC24V	15°/24°/36°	\$37.30				 Φ60x38 mm		Black	Black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KA0560NR-A	Magnetic spot light 5W DC24V	15°/24°/36°	\$39.60				 Φ60x38 mm		brass	Black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KA0560NR-B	Magnetic spot light 5W DC24V	15°/24°/36°	\$37.30				 Φ60x38 mm		black/ white	black white	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KA0560NR-B	Magnetic spot light 5W DC24V	15°/24°/36°	\$39.60				 Φ60x38 mm		brass	black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KA0560NR-C	Magnetic spot light 5W DC24V	15°/24°/36°	\$37.30				 Φ60x38 mm		black white	black white	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KA0560NR-C	Magnetic spot light 5W DC24V	15°/24°/36°	\$39.60				 Φ60x38 mm		brass	black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KA0560NR-D	Magnetic spot light 5W DC24V	15°/24°/36°	\$37.30				 Φ60x38 mm		Black	black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KA0560NR-D	Magnetic spot light 5W DC24V	15°/24°/36°	\$39.60				 Φ60x38 mm		brass	black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KA0560NR-AP	Magnetic spot light 5W DC24V	15°/24°/36°		\$59.04			Φ60x43 mm		Black	Black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KA0560NR-AP	Magnetic spot light 5W DC24V	15°/24°/36°		\$61.34			Φ60x43 mm		brass	Black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KA0560NR-BP	Magnetic spot light 5W DC24V	15°/24°/36°		\$59.04			Φ60x43 mm		black/ white	black white	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KA0560NR-BP	Magnetic spot light 5W DC24V	15°/24°/36°		\$61.34			Φ60x43 mm		brass	black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum
	KA0560NR-CP	Magnetic spot light 5W DC24V	15°/24°/36°		\$59.04			Φ60x43 mm		black white grey	black white	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Dis-casting aluminum

**Retail Prices- REQUEST for NET PRICES - MAGNETIC SYSTEM K05 (5mm)**









**Nelux (HK) International Ltd**

Head office: China, HK, Wanchai, Central Plaza,  
18 Harbour road, 32/F, Office 3208  
T +852 28600042  
T/WhatsApp: +852 5349 0724  
Skype: neluxlighting / WeChat: neluxury

Nelux Architectural Lighting Products

**nelux**  
Producing your dreams  
[www.nelux.com.hk](http://www.nelux.com.hk)

Date: 2024/06/27

Picture	MODEL NO.	Specification	Beam angle	Unit price(USD)	Unit price(USD) PWM DIM (adaptive triac 0-10V dimmer 24V DRIVER- Zigbee)	quantity (PCS)	Amount (RMB)	Size(mm)	Cut out(m m)	light body Colour	Front cover	CRI	Colour temperature	LED brand	Driver	Input	Material
	KA0560NR-CP	Magnetic spot light 5W DC24V	15°/24°/36°		\$61.34			Φ60x43 mm		brass	black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Die-casting aluminum
	KA0560NR-CP	Magnetic spot light 5W DC24V	15°/24°/36°		\$59.04			Φ60x43 mm	/	Black	black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Die-casting aluminum
	KA0560NR-CP	Magnetic spot light 5W DC24V	15°/24°/36°		\$61.34			Φ60x43 mm	/	brass	black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Die-casting aluminum
	KB0513NR	Magnetic light SMD 12W DC24V	100°		\$45.84			 Φ113°34		black white grey	black white	>90	2700K 3000K 4000K 5000K	SANAN	/	DC24V	Die-casting aluminum
					\$49.68	\$49.68			brass	black							
	KB0514NR	Magnetic light SMD 18W DC24V	100°		\$53.62			 Φ138°34		black white grey	black white	>90	2700K 3000K 4000K 5000K	SANAN	/	DC24V	Die-casting aluminum
					\$59.76	\$59.76			brass	black							
	KLB0530NS	Magnetic liner light 5W DC24V	100°		\$27.22			300x5x12 mm		Black	Black	>90	2700K 3000K 4000K 5000K	SANAN	/	DC24V	Die-casting aluminum
					\$34.94	\$34.94			Black	Black							
					\$46.56	\$46.56			Black	Black							
	KLB0560NS	Magnetic liner light 10W DC24V	100°		\$34.94			600x5x12 mm		Black	Black	>90	2700K 3000K 4000K 5000K	SANAN	/	DC24V	Die-casting aluminum
					\$46.56	\$46.56			Black	Black							
					\$46.56	\$46.56			Black	Black							
	KPA0540NR	Magnetic pendant light 7W DC24V	15°/24°/36°		\$42.72			Φ40x200 mm		Black	Black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Die-casting aluminum
					\$64.46	\$64.46			Black	Black							
					\$64.46	\$64.46			Black	Black							
	KPA0530NR-A	Magnetic pendant light 5W DC24V	38°		\$48.14			Φ50°216mm		Black	Black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Die-casting aluminum
					\$69.89	\$69.89			Black	Black							
					\$69.89	\$69.89			Black	Black							
	KPA0518NR-A	Magnetic pendant light 3W DC24V	15°/24°/36°		\$34.94			Φ18x310 mm		Black	Black	>90	2700K 3000K 4000K	OSRAM	/	DC24V	Die-casting aluminum
					\$56.69	\$56.69			Black	Black							
					\$56.69	\$56.69			Black	Black							
	KPA0518NR-B	Magnetic pendant light 5W DC24V	15°/24°/36°		\$60.58			Φ70x225 mm		Black	Black	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Die-casting aluminum
					\$60.58	\$60.58			Black	Black							
					\$60.58	\$60.58			Black	Black							

**Retail Prices- REQUEST for NET PRICES - MAGNETIC SYSTEM K05 (5mm)**

**Nelux (HK) International Ltd**

Head office: China, HK, Wanchai, Central Plaza,  
18 Harbour road, 32/F, Office 3208  
T +852 28600042  
T/Whatsapp +852 5349 0724  
Skype: neluxlighting /WeChat: neluxury

Nelux Architectural Lighting Products

**nelux**  
Producing your dreams  
[www.nelux.com.hk](http://www.nelux.com.hk)

Date: 2024/06/27

Picture	MODEL NO.	Specification	Beam angle	Unit price(USD)	Unit price(USD) PWM DIM (adaptive triac 0-10V dimmer 24V DRIVER- Zigbee)	quantity (PCS)	Amount (RMB)	Size(mm)	Cut out(m m)	light body Colour	Front cover	CRI	Colour temperature	LED brand	Driver	Input	Material
	KPA0518NR-C	Magnetic pendant light 3W DC24V	15°/24°/36°	\$45.02				Φ60x 176mm		black+gold	gold	>90	2700K 3000K 4000K	OSRAM	/	DC24V	Die-casting aluminum
	KPA0518NR-CP	Magnetic pendant light 3W DC24V	15°/24°/36°		\$66.82			Φ60x 176mm		black+gold	gold	>90	2700K 3000K 4000K	OSRAM	/	DC24V	Die-casting aluminum
	KPA0518NR-D	Magnetic pendant light 3W DC24V	15°/24°/36°	\$38.06				Φ60x 198mm		black+gold	gold	>90	2700K 3000K 4000K	OSRAM	/	DC24V	Die-casting aluminum
	KPA0518NR-CP	Magnetic pendant light 3W DC24V	15°/24°/36°		\$59.76			Φ60x 198mm		black+gold	gold	>90	2700K 3000K 4000K	OSRAM	/	DC24V	Die-casting aluminum
	KP86560NR	Magnetic pendant light 5W DC24V	40°	\$45.84				 58 Φ60	1m	black white gold	/	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Die-casting aluminum
	KP86208NR	Magnetic pendant light 3W DC24V	15°/24°/36°	\$83.86				 78 Φ80		black white gold	/	>90	2700K 3000K 4000K 5000K	OSRAM	/	DC24V	Die-casting aluminum
	KP87080NR	Magnetic pendant light 5W DC24V	40°	\$60.58				 98 Φ80		black white grey	/	>90	2700K 3000K 4000K 5000K	Bridgelux	/	DC24V	Die-casting aluminum
	KLB1030NS	Magnetic liner light 8W DC24V	100°	\$27.22	\$27.22			 103 146		black	/	>90	2700K 3000K 4000K 5000K	SANAN	/	DC24V	Die-casting aluminum
	KLB1045NS	Magnetic liner light 12W DC24V	100°	\$34.94	\$34.94			 110 146		black	/	>90	2700K 3000K 4000K 5000K	SANAN	/	DC24V	Die-casting aluminum
	KLB1060NS	Magnetic liner light 16W DC24V	100°	\$38.06	\$38.06			 146 146		black	/	>90	2700K 3000K 4000K 5000K	SANAN	/	DC24V	Die-casting aluminum
	KLB1090NS	Magnetic liner light 21W DC24V	100°	\$46.56	\$46.56			 100 146		black	/	>90	2700K 3000K 4000K 5000K	SANAN	/	DC24V	Die-casting aluminum
	KLA1006NS	Magnetic spot light 6W DC24V	30°	\$27.22	\$27.22			 100 146		black	/	>90	2700K 3000K 4000K 5000K	OSRAM	/	DC24V	Die-casting aluminum
	KLA1012NS	Magnetic spot light 10W DC24V	30°	\$34.94	\$34.94			 106 146		black	/	>90	2700K 3000K 4000K 5000K	OSRAM	/	DC24V	Die-casting aluminum
	KLA1018NS	Magnetic spot light 15W DC24V	30°	\$42.72	\$42.72			 116 146		black	/	>90	2700K 3000K 4000K 5000K	OSRAM	/	DC24V	Die-casting aluminum
	KLA1024NS	Magnetic spot light 20W DC24V	30°	\$50.50	\$50.50			 126 146		black	/	>90	2700K 3000K 4000K 5000K	OSRAM	/	DC24V	Die-casting aluminum



**Retail Prices- REQUEST for NET PRICES - MAGNETIC SYSTEM K05 (5mm)**

**Nelux (HK) International.ltd**

Head office: China, HK, Wanchai, Central Plaza,  
 18 Harbour road, 32/F, Office 3208  
 T +852 28600042  
 T/Whatsapp: +852 5349 0724  
 Skype: neluxlighting /WeChat: neluxury

**Nelux Architectural Lighting Products**



Date: 2024/06/27

Picture	MODEL NO.	Specification	Beam angle	Unit price(USD)	Unit price(USD) PWM DIM (adaptive triac 0-10V dimmer 24V DRIVER- Zigbee)	quantity (PCS)	Amount (RMB)	Size(mm)	Cut out(m m)	light body Colour	Front cover	CRI	Colour temperature	LED brand	Driver	Input	Material
---------	-----------	---------------	------------	-----------------	--	-------------------	-----------------	----------	--------------------	-------------------------	----------------	-----	-----------------------	-----------	--------	-------	----------

1. T/T 30% deposit when order confirmed, 70% balance should be paid before delivery
2. Delivery time: After the deposit 60 days