



nelux
PRODUCING YOUR DREAMS

2024-2025

Nelux Architectural Lighting Products
Whatsapp: +852 5349 0724
sales@nelux.com.hk
www.nelux.com.hk

Head office: China, HK, Wanchai,
Central Plaza, 18 Harbour road, 32/F, Office 3208
Workhouse: China, HK, Tuen Mun, Sun Hing Industrial Building, 22 Kin Fat Street, 11th Floor

Tel:+852 28600042
Fax:+852 28600066
WeChat: neluxury

NELUX ARCHITECTURAL LIGHTING -M10 MAGNETIC SYSTEM 2024-2025

nelux
Producing your dreams

M10 MAGNETIC SYSTEM PRODUCTS

V48DC

ARCHITECTURAL & COMMERCIAL LIGHTING





Flexibility 



DC 48V SYSTEM
Magnetic track lighting system




M10 Magnetic System 48V




M10-MA



M10-MB




M10-MC




MINI 10mm
DC 48V Magnetic Track System

10mm






M10-MD





DC 48V Micro Track System MAGNETIC TRACK





Reference Information



System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6200	6W	15°/24°/36°	300LM	2700/3000/4000K	80/90	○ WH ● BL

○ WH ● BL



Reference Information


System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6201	6W	100°	300LM	2700/3000/4000K	80/90	<input type="radio"/> WH <input type="radio"/> BL






Reference Information


System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6031	6W	12°/24°/38°/45°/60°	480LM	2700/3000/4000K	80/90	○ ● WH BL




System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6032	10W	12°/24°/38°/45°/60°	800LM	2700/3000/4000K	80/90	○ ● WH BL



System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6033	15W	12°/24°/38°	1200LM	2700/3000/4000K	80/90	○ ● WH BL





Reference Information

System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6022	3W	15°/24°/36°	180LM	2700/3000/4000K	80/90	○ WH ● BL

System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
MT10-6023	4W	15°/24°/36°	240LM	2700/3000/4000K	80/90	○ WH ● BL

System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6024	5W	10°/15°/24°/36°/50°	300LM	2700/3000/4000K	80/90	○ WH ● BL

System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6025	6W	10°/15°/24°/36°/50°	360LM	2700/3000/4000K	80/90	○ WH ● BL


System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6026	10W	10°/15°/24°/36°/50°	600LM	2700/3000/4000K	80/90	○ WH ● BL

System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6026B	12W	10°/15°/24°/36°/50°	720LM	2700/3000/4000K	80/90	○ WH ● BL




Reference Information

System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6034	4W	10°/15°/24°/36°/50°	240LM	2700/3000/4000K	80/90	○ WH ● BL



System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6035	8W	10°/15°/24°/36°/50°	480LM	2700/3000/4000K	80/90	○ WH ● BL



10mm Magnetic Track System
48V low Voltage



IP20
IP20

UGR
<19

RoHS

CE


F

III

5
GUARANTEE

Reference Information

System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6030	4W	15°/24°/36°/50°	200LM	2700/3000/4000K	80/90	○ WH ● BL



System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6300	4W	15°/24°/36°/50°	200LM	2700/3000/4000K	80/90	○ WH ● BL






IP20 IP20 UGR <19 RoHS CE F III 5 GUARANTEE

Reference Information

System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6021	2W	15°/25°/40°	80LM	2700/3000/4000K	80/90	○ WH ● BL





Reference Information

System Power	System Power (W)	Beam Angle (°)	Luminous Flux (LM)	CCT (K)	CRI	Color
M10-6120	3W	8-35°	50LM	2700/3000/4000K	97	<div style="display: flex; justify-content: space-around;"> ○ WH ● BL </div>

THANK YOU
FOR
VISITING OUR
M10 MAGNETIC SYSTEM PRODUCTS

salesnelux@gmail.com

www.nelux.com.hk