

# NELUX ARCHITECTURAL LIGHTING PRODUCTS

## LED LIGHT PROFILES 2025

EDORA ARTHUR & ERIK LED PROFILES

NELUX (HK) INTERNATIONAL,LTD

Head office: 18, harbour road, central plaza, 32/F, office 3208, wanchai, hong kong, china

website: [www.nelux.com.hk](http://www.nelux.com.hk)

email: [sales@nelux.com.hk](mailto:sales@nelux.com.hk)

wechat: neluxury

tel: +852 28600042

fax: \*852 28600066

# About Us

## Nelux: Professional Lighting Solutions

At Nelux, we have been lighting up ideas and projects around the world for over 30 years. Since establishing our headquarters in Hong Kong in 2010, we have become a trusted partner in the design and supply of technical and decorative lighting solutions for hotels, restaurants, franchises, retail stores, museums, and other commercial spaces.

Our philosophy blends innovation, design, and functionality to deliver high-performance products that not only meet but exceed the expectations of our clients. We focus on two key areas:

A premium range of interior lighting with a 5-year warranty, perfect for projects requiring durability and aesthetic excellence.


A bespoke production service that allows for the creation of unique pieces tailored to the specific needs of each client and project.

Our global market expertise, combined with an unwavering commitment to quality and competitive pricing, positions us as a leader in lighting solutions for large-scale projects. This catalog is a testament to our dedication and passion for illuminating every space with creativity and precision.



# Product index

## Installation



Page  
P073~078

EXTRACTABLE RECESSED


## EDORA



Page  
P079~086

Suspension / Surface

## ARTHUR




# EDDORA

recessed



Suitable for airports, high-speed rail stations, stores, showrooms, homes, offices, schools, factories, hospitals, libraries, supermarkets, subways, hotels, restaurants, lighting, etc., Save energy and long lifespan.



The lamp is the first choice for the minimalist non main lamp space, with simple ring shape and embellishment space.



# Information



Colour: ● Sand black 砂黑  
 颜色: ● Sand white 砂白

## KD701 ▲


Power	Flux	Size(LxWxH)	CCT	Beam Angle	Amount	
24W	>60 lm/W	Ø300mm	3000K 4000K 6000K	15° 30°	12pcs Spotlight	


## KD702 ▲

Power	Flux	Size(LxWxH)	CCT	Beam Angle	Amount	
48W	>60 lm/W	Ø600mm	3000K 4000K 6000K	15° 30°	24pcs Spotlight	

## KD703 ▲

Power	Flux	Size(LxWxH)	CCT	Beam Angle	Amount	
72W	>60 lm/W	Ø900mm	3000K 4000K 6000K	15° 30°	36pcs Spotlight	






Suspended / Surface mounted

# ARTHUR

Suitable for airports, high-speed rail stations, stores, showrooms, homes, offices, schools, factories, hospitals, libraries, supermarkets, subways, hotels, restaurants, lighting, etc., Save energy and long lifespan.



The selected high-quality acrylic panel adopts the light transmission design of large luminous surface to illuminate the top and surrounding of the lamp, reduce the shadow of the ceiling, make the whole space brighter and more transparent, sealed design, dust and insect prevention, and effectively prevent the entry of solid dust and mosquitoes. The light source is equipped with a lens, and the principle of refraction and diffusion makes the light diverge more widely.





# Information



Color: ● Sand black  
 颜色: ● Sand white

## KD70160 ▲

Power	Flux	Size(DxH)	CCT	Beam Angle	Added		
12W	>80 lm/W	Ø160x50mm	3000K 4000K 6000K	110°	/		

## KD70260 ▲

Power	Flux	Size(DxH)	CCT	Beam Angle	Added		
20W	>80 lm/W	Ø260x62mm	3000K 4000K 6000K	110°	/		

## KD70350 ▲

Power	Flux	Size(DxH)	CCT	Beam Angle	Added		
30W	>80 lm/W	Ø350x62mm	3000K 4000K 6000K	110°	/		

## KD70480 ▲

Power	Flux	Size(DxH)	CCT	Beam Angle	Added		
45W	>80 lm/W	Ø480x62mm	3000K 4000K 6000K	110°	/		

# Information



Color: ● Sand black  
 颜色: ● Sand white

## KD70600 ▲

Power	Flux	Size(DxH)	CCT	Beam Angle	Added		
54W	>80 lm/W	Ø600x62mm	3000K 4000K 6000K	110°	/		

## KD70800 ▲


Power	Flux	Size(DxH)	CCT	Beam Angle	Added		
60W	>80 lm/W	Ø800x82mm	3000K 4000K 6000K	110°	/		

## KD70900 ▲

Power	Flux	Size(DxH)	CCT	Beam Angle	Added		
90W	>80 lm/W	Ø900x82mm	3000K 4000K 6000K	110°	/		

## KD71200 ▲

Power	Flux	Size(DxH)	CCT	Beam Angle	Added		
150W	>80 lm/W	Ø1200x82mm	3000K 4000K 6000K	110°	/		





## Information





Colour: ● Sand black 砂黑  
 颜色: ● Sand white 砂白



### KD70160-F ▲

Power	Flux	Size(DxH)	CCT	Beam Angle	Added		
12W	>80 lm/W	Ø160x50mm	3000K 4000K 6000K	110°	/		



### KD70260-F ▲

Power	Flux	Size(DxH)	CCT	Beam Angle	Added		
20W	>80 lm/W	Ø260x62mm	3000K 4000K 6000K	110°	/		

### KD70350-F ▲

Power	Flux	Size(DxH)	CCT	Beam Angle	Added		
30W	>80 lm/W	Ø350x62mm	3000K 4000K 6000K	110°	/		

### KD70480-F ▲

Power	Flux	Size(DxH)	CCT	Beam Angle	Added		
45W	>80 lm/W	Ø480x62mm	3000K 4000K 6000K	110°	/		




ERIK

Suspended /recessed /Ceiling




# Free splicing

**Creative special-shaped lamp** - the shape is changeable and spliced freely. The light is emitted downward through the only exit and surrounds the lamp like a halo. The lamp body is available in white and black




Hexagon



Triangle




Cross type




Moon light





Herringbone




Round




Square







Wall lamp and ceiling / chandelier, various shapes and creative combinations; Any shape and width can be customized.



When installing, you only need to press on the front. The installation operation is convenient and simple, and the thickness and size requirements of the light transmission plate are small. It is compatible with most light transmission plates and light transmission films on the market, and can make various light effects required by customers.





## Information





Color:  Matte black  Silver  
 Matte white

\* 备注: 阿里巴巴集团指定款式

### KD064 ▲

Power	Flux	Size(WxH)	CCT	Beam Angle	Added
25W/M	>95 lm/W	54x75mm	3000K 4000K 6000K	110°	/



[www.nelux.com.hk](http://www.nelux.com.hk)

[sales@nelux.com.hk](mailto:sales@nelux.com.hk)  
[salesnelux@gmail.com](mailto:salesnelux@gmail.com)

[neluxclients@gmail.com](mailto:neluxclients@gmail.com)