

Khünsonne light source

by



LED LAMPS

Nelux Industrial

Workshop 22, Kin Fat St. Sun Hing Industrial Building, Tuen Muung , Hong Kong SAR, China

Tel +852 28600042

Mob +852 5349 0724

Whatsapp +852 5342 5197

website www.nelux.com.hk

email sales01@nelux.com.hk , salesnelux@gmail.com

We are professional lighting designers in indoor and outdoor lighting. We are in products development for more than 27 years. Nelux can meet your outdoor project for lighting products demand. We can also make your products customised, specially in die-casting, spinning, extruded aluminum

Led lamps as fashionable and commercial led lighting fixtures to come in different sizes and power used in a great variety of different type of lighting products, depending on requirements. Used in different type of fittings, commonly used in track head light, spotlight, downlight, wall light, mainly for indoor uses.

The technology also removes the annoyance of flickering due to the LED lights not needing to warm, as soon as the light switch is activated, the lamp will light up.


what is led lamps?

LED lamps, which are the newly & modern equivalent of traditional lamps. But led lamps full with the best advantages, especially it adopts LED as the light source is not only saving more energy, but also save more money. More importantly, compared to the traditional bulbs, led lamps can provide a more stylish look. High quality led lamps would play a very significant role for the entire project.

Led lamps are the best replacement for traditional lamps. You can choose from a great variety. Check out our catalog and the widest range of led lamps.

Led lamps main features

1. Fashionable
2. Big range of shapes and sizes
3. Commonly used in public areas
3. No flickering
4. Replace traditional lamps
5. Economic products
6. Save money




www.nelux.com.hk

Khünsonne

nelux (hk) international,ltd

DESCRIPTION AR111 HAUTE


AR111 haute is a professional led retrofit energy saving replacement for halogen lamps with different beam angles, and power. Outside and Built-in driver and 5 years warranty, different optional features, allow lighting designers multiple options in their lighting projects



MAIN FEATURES

Model	Power	Voltage	Lumens	CCT	CRI	B.angle	System	Lampholder	PF	Packaging
Standard	12W	110/220V	650lm	2700K 3000K 4000K	97	8°,12°,24°,36°,48°	Triac 0-10V Dali Wifi	GU10 G53	0.99	30pcs/Ctn
Standard	15W	110/220V	800lm	2700K 3000K 4000K	97	8°,12°,24°,36°,48°	Triac 0-10V Dali Wifi	GU10 G53	0.99	30pcs/Ctn
Standard	18W	110/220V	1000lm	2700K 3000K 4000K	97	8°,12°,24°,36°,48°	Triac 0-10V Dali Wifi	GU10 G53	0.99	30pcs/Ctn
Dim to Warm	12W	110/220V	600lm	2000K ~ 3100K	97	24°,36°,48°	Triac 0-10V Dali Wifi	GU10 G53	0.99	30pcs/Ctn
Dim to Warm	15W	110/220V	750lm	2000K ~ 3200K	97	24°,36°,48°	Triac 0-10V Dali Wifi	GU10 G53	0.99	30pcs/Ctn
Tunable White	12W	110/220V	600lm	2700K ~ 5700K	82	24°,36°,48°	Dali Wifi	G53	0.99	30pcs/Ctn
Tunable White	15W	110/220V	750lm	2700K ~ 5700K	82	24°,36°,48°	Dali Wifi	G53	0.99	30pcs/Ctn



OPTIONAL FEATURES



5 YEARS WARRANTY

DESCRIPTION AR111 ESSENTIAL


AR111 essential is a professional led retrofit energy saving replacement for halogen lamps with different beam angles, and power. Built-in driver and 3 years warranty, different optional features, allow lighting designers multiple options in their lighting projects



MAIN FEATURES

Model	Power	Voltage	Lumens	CCT	CRI	B.angle	System	Lampholder	PF	Packaging
Standard	12W	110/220V	650lm	2700K 3000K 4000K	82/92	8°,12°,24°,36°,48°	Triac 0-10V Dali Wifi	GU10 G53	0.9	30pcs/Ctn
Standard	15W	110/220V	800lm	2700K 3000K 4000K	82/92	8°,12°,24°,36°,48°	Triac 0-10V Dali Wifi	GU10 G53	0.9	30pcs/Ctn
Standard	18W	110/220V	1000lm	2700K 3000K 4000K	82/92	8°,12°,24°,36°,48°	Triac 0-10V Dali Wifi	GU10 G53	0.9	30pcs/Ctn
Dim to Warm	12W	110/220V	600lm	2000K ~ 2800K	92	24°,36°,48°	Triac 0-10V Dali Wifi	GU10 G53	0.9	30pcs/Ctn
Dim to Warm	15W	110/220V	750lm	2000K ~ 3000K	92	24°,36°,48°	Triac 0-10V Dali Wifi	GU10 G53	0.9	30pcs/Ctn
Tunable White	12W	110/220V	600lm	2700K ~ 5700K	82	24°,36°,48°	Dali Wifi	G53	0.9	30pcs/Ctn
Tunable White	15W	110/220V	750lm	2700K ~ 5700K	82	24°,36°,48°	Dali Wifi	G53	0.9	30pcs/Ctn

OPTIONAL FEATURES



3 YEARS WARRANTY


www.nelux.com.hk

Khünsonne

nelux (hk) international,ltd

DESCRIPTION AR70 B15d and GU10 Haute


AR70 haute is a professional led retrofit energy saving replacement for halogen lamps with different beam angles, and power,. Outside driver and 3 years warranty, different optional features, allow lighting designers multiple options in their lighting projects



MAIN FEATURES

Model	Power	Voltage	Lumens	CCT	CRI	B.angle	System	Lampholder	PF	Packaging
Standard	5W	110/220V	250lm	2700K 3000K 4000K	95	12°,24°,36°	Triac 0-10V Dali Wifi	GU10 B15d	0.99	100pcs/Ctn
Standard	7W	110/220V	300lm	2700K 3000K 4000K	95	12°,24°,36°	Triac 0-10V Dali Wifi	GU10 B15d	0.99	100pcs/Ctn
Dim to Warm	5W	110/220V	250lm	2000K ~ 2700K	97	24°,36°	Triac 0-10V Dali Wifi	GU10 B15d	0.99	100pcs/Ctn
Dim to Warm	7W	110/220V	300lm	2000K ~ 2800K	97	24°,36°	Triac 0-10V Dali Wifi	GU10 B15d	0.99	100pcs/Ctn


OPTIONAL FEATURES



5 YEARS WARRANTY

DESCRIPTION AR70 B15d and GU10 Essential


AR70 is a professional led retrofit energy saving replacement for halogen lamps with different beam angles, and power. Outside and built-in driver and 3 years warranty, different optional features, allow lighting designers multiple options in their lighting projects



MAIN FEATURES

Model	Power	Voltage	Lumens	CCT	CRI	B.angle	System	Lampholder	PF	Packaging
Standard	5W	110/220V	350lm	2700K 3000K 4000K	82	12°,24°,36°	Triac 0-10V Dali Wifi	GU10 B15d	0.9	100pcs/Ctn
Standard	7W	110/220V	450lm	2700K 3000K 4000K	82	12°,24°,36°	Triac 0-10V Dali Wifi	GU10 B15d	0.9	100pcs/Ctn
Standard	10W	110/220V	600lm	2700K 3000K 4000K	82	12°,24°,36°	Triac 0-10V Dali Wifi	GU10 B15d	0.9	100pcs/Ctn
Dim to Warm	5W	110/220V	250lm	2000K ~ 2700K	92	24°,36°	Triac 0-10V Dali Wifi	GU10 B15d	0.9	100pcs/Ctn
Dim to Warm	7W	110/220V	350lm	2000K ~ 2700K	92	24°,36°	Triac 0-10V Dali Wifi	GU10 B15d	0.9	100pcs/Ctn
Dim to Warm	10W	110/220V	450lm	2000K ~ 2800K	92	24°,36°	Triac 0-10V Dali Wifi	GU10 B15d	0.9	100pcs/Ctn

OPTIONAL FEATURES



3 YEARS WARRANTY


www.nelux.com.hk

Khünsonne

nelux (hk) international,ltd

DESCRIPTION MR16 HAUTE

MR16 haute is a professional led retrofit energy saving replacement for traditional halogen lamps with different beam angles, and power,. Built-in driver and 3 years warranty, different optional features, allow lighting designers multiple options in their lighting projects



MAIN FEATURES

Model	Power	Voltage	Lumens	CCT	CRI	Beam angle	System	Lampholder	PF	Packaging
Standard	5W	110/220V	250lm	2700K 3000K 4000K	92	12°,24°,36°	Triac 0-10V Dali Wifi	GU10 G53	0.9	100pcs/Ctn
Standard	7W	110/220V	300lm	2700K 3000K 4000K	92	12°,24°,36°	Triac 0-10V Dali Wifi	GU10 G53	0.9	100pcs/Ctn



CRI 82, 97 available

OPTIONAL FEATURES



dim to warm

Tunable white

Triac

0-10V


DALI



3 YEARS WARRANTY

DESCRIPTION PAR16 and PAR20


PAR16 and PAR20 is a professional led retrofit energy saving replacement for traditional halogen lamps with different beam angles, and power,. Built in driver and 3 years warranty, different optional features, allow lighting designers multiple options in their lighting projects



MAIN FEATURES

Model	Power	Voltage	Lumens	CCT	CRI	B.angle	System	Lampholder	PF	Packaging
Standard	5W	110/220V	250lm	2700K 3000K 4000K	92/97	12°,24°,36°	Triac	E27	0.90 0.95	100pcs/Ctn 30pcs/Ctn
Standard	7W	110/220V	300lm	2700K 3000K 4000K	92/97	12°,24°,36°	Triac	E27	0.90 0.95	100pcs/Ctn 30pcs/Ctn
Standard	12W	110/220V	650lm	2700K 3000K 4000K	92/97	12°,24°,36°	Triac	E27	0.90 0.95	100pcs/Ctn 30pcs/Ctn
Standard	15W	110/220V	800lm	2700K 3000K 4000K	92/97	12°,24°,36°	Triac	E27	0.90 0.95	100pcs/Ctn 30pcs/Ctn
Dim to Warm	12W	110/220V	600lm	2000K - 3000K	97	24°,36°	Triac	E27	0.95	30pcs/Ctn
Dim to Warm	15W	110/220V	750lm	2000K - 3000K	97	24°,36°	Triac	E27	0.95	30pcs/Ctn

SPECIAL FEATURES CONTACT US



3 YEARS WARRANTY


www.nelux.com.hk

Khünsonne

nelux (hk) international,ltd

DESCRIPTION PAR30 and PAR38


PAR30 and PAR38 is a professional led retrofit energy saving replacement for traditional lamps with different beam angles, and power,. Built-in driver and 3 years warranty, different optional features, allow lighting designers multiple options in their lighting projects



MAIN FEATURES

Model	Power	Voltage	Lumens	CCT	CRI	Beam angle	System	Lampholder	PF	Packaging
Standard	5W	110/220V	350lm	2700K 3000K 4000K	82	12°,24°,36°	Triac	E27	0.9	100pcs/Ctn 30PCS/Ctn
Standard	7W	110/220V	450lm	2700K 3000K 4000K	82	12°,24°,36°	Triac	E27	0.9	100pcs/Ctn 30PCS/Ctn
Standard	12W	110/220V	600lm	2700K 3000K 4000K	82	12°,24°,36°	Triac	E27	0.9	100pcs/Ctn 30PCS/Ctn
Standard	15W	110/220V	600lm	2700K 3000K 4000K	82	12°,24°,36°	Triac	E27	0.9	100pcs/Ctn 30PCS/Ctn
Dim to Warm	12W	110/220V	250lm	2000K ~2800K	92	24°,36°	Triac	E27	0.9	30pcs/Ctn
Dim to Warm	15W	110/220V	350lm	2000K ~ 3000K	92	24°,36°	Triac	E27	0.9	30pcs/Ctn


SPECIAL FEATURES CONTACT US



3 YEARS WARRANTY

DESCRIPTION MODULE MR16


MR16 module is a professional led energy saving replacement for MR16 halogen lamps with different beam angles, and power,. Outside driver and 5 years warranty, different optional features, allow lighting designers multiple options in their lighting projects



MAIN FEATURES MR16 MODULES

Model	Power	Voltage	Lumens	CCT	CRI	B.angle	System	Lampholder	PF	Packaging
Standard	5W	110/220V	450lm	2700K 3000K 4000K	97	15°,24°,35°,60°	Triac 0-10V Dali Wifi	plug	0.99	100pcs/Ctn
Standard	12W	110/220V	800lm	2700K 3000K 4000K	97	15°,24°,35°,60°	Triac 0-10V Dali Wifi	plug	0.99	100pcs/Ctn
Standard	15W	110/220V	1000lm	2700K 3000K 4000K	97	15°,24°,35°,60°	Triac 0-10V Dali Wifi	plug	0.99	100pcs/Ctn
Dim to Warm	5W	110/220V	450lm	2000K ~ 3000K	95	24°,36°,48°	Triac 0-10V Dali Wifi	plug	0.99	40pcs/Ctn
Dim to Warm	12W	110/220V	800lm	2000K ~ 3100K	95	24°,36°,48°	Triac 0-10V Dali Wifi	plug	0.99	40pcs/Ctn
Dim to Warm	12W	110/220V	1000lm	2000K ~ 3200K	95	24°,36°,48°	Triac 0-10V Dali Wifi	plug	0.99	40pcs/Ctn
Tunable White	12W	110/220V	600lm	2700K ~ 5700K	82	24°,36°,48°	Dali Wifi	plug	0.99	40pcs/Ctn
Tunable White	15W	110/220V	750lm	2700K ~ 5700K	82	24°,36°,48°	Dali Wifi	plug	0.99	40pcs/Ctn

OPTIONAL FEATURES



5 YEARS WARRANTY


www.nelux.com.hk

Khünsonne

nelux (hk) international,ltd

DESCRIPTION HIGH POWER AR111 MPOWER


AR111 is a professional led retrofit energy saving replacement for halogen lamps with different beam angles, and power,. Outside driver and 3 years warranty, different optional features, allow lighting designers multiple options in their lighting projects



MAIN FEATURES MPOWER AR111

Model	Power	Voltage	Lumens	CCT	CRI	B.angle	System	Lampholder	PF	Packaging
Standard	15W	110/220V	1200lm	2700K 3000K 4000K	82/92	30°,60°,120°	Triac 0-10V Dali Wifi	G53 plug	0.95	30pcs/Ctn
Standard	15W	110/220V	1000lm	2700K 3000K 4000K	82/92	30°,60°,120°	Triac 0-10V Dali Wifi	G53 plug	0.95	30pcs/Ctn
Dim to Warm	15W	110/220V	900lm	2000K ~ 3000K	92	30°,60°,120°	Triac 0-10V Dali Wifi	G53 plug	0.95	30pcs/Ctn
Dim to Warm	12W	110/220V	750lm	2700K ~ 3000K	92	30°,60°,120°	Triac 0-10V Dali Wifi	G53 plug	0.95	30pcs/Ctn
Tunable White	15W	110/220V	900lm	2700K ~ 5700K	82	30°,60°,120°	Dali Wifi	G53 plug	0.95	30pcs/Ctn
Tunable White	15W	110/220V	750lm	2700K ~ 5700K	82	30°,60°,120°	Dali Wifi	G53 plug	0.95	30pcs/Ctn


OPTIONAL FEATURES



3 YEARS WARRANTY

DESCRIPTION HIGH POWER AR111 HPOWER


AR111 is a professional led retrofit energy saving replacement for halogen lamps with different beam angles, and power,. Outside driver and 3 years warranty, different optional features, allow lighting designers multiple options in their lighting projects



MAIN FEATURES

Model	Power	Voltage	Lumens	CCT	CRI	B.angle	System	Lampholder	PF	Packaging
Standard	20W	110/220V	1500lm	2700K 3000K 4000K	82/92	15°,24°,35°,60°	Triac 0-10V Dali Wifi	plug	0.95	30pcs/Ctn
Standard	30W	110/220V	2200lm	2700K 3000K 4000K	82/92	15°,24°,35°,60°	Triac 0-10V Dali Wifi	plug	0.95	30pcs/Ctn
Standard	40W	110/220V	3600lm	2700K 3000K 4000K	82/92	15°,24°,35°,60°	Triac 0-10V Dali Wifi	plug	0.95	30pcs/Ctn
Tunable White	20W	110/220V	1300lm	2700K ~ 5700K	90	24°,35°,60°	Dali Wifi	plug	0.95	30pcs/Ctn
Tunable White	30W	110/220V	1800lm	2700K ~ 5700K	90	24°,35°,60°	Dali Wifi	plug	0.95	30pcs/Ctn
Tunable White	40W	110/220V	3600lm	2700K ~ 5700K	90	24°,35°,60°	Dali Wifi	plug	0.95	30pcs/Ctn

OPTIONAL FEATURES



3 YEARS WARRANTY

www.nelux.com.hk

Khünsonne

nelux (hk) international,ltd